

STRAPPING TOOLS FOR PLASTIC & STEEL STRAPPING

From basic tensioner and sealer up to high-tech battery powered strapping tool, Transpak offers you the most comprehensive product line of strapping tools. All of our strapping tools are made in Taiwan in our ISO 9001 certified factory, with PRIDE!

In this category, we have product lines for different strapping materials as follows:







Strapping Tools for PET and Heavy Duty PP Strapping

Strapping Tools for PP Strapping

Strapping Tools for Cord Strapping

Strapping Tools for Steel Strapping

H-23 Tensioner

- •Strap width: 12 mm-19 mm
- •20 pcs / carton



H-21 Tensioner

- Strap width: 12 mm-19 mm
- •20 pcs / carton



H-36 Sealer

- Offset grip
- For use with serrated seals
- Handle length 460 mm
- •Strap width: 12 mm, 16 mm
- •10 pcs / carton



H-34 Sealer

- Triple friction grip
- Handle length 460 mm
- •Strap width: 12 mm, 16 mm, 19 mm
- 10 pcs / carton



H-25 Tensioner

H-22 Tensioner

•20 pcs / carton

• Strap width: 9 mm-19 mm

- Medium duty range
- •Strap width: 9 mm-25 mm
- •10 pcs / carton



H-17 Cutter

H-16 Cutter

drop forged

•30 pcs / carton

- Heavy duty
- •"SAE 4140" high carbon steel drop forged

• "SAE 4140" high carbon steel

•Strap width: up to 30 mm

- Strap width: up to 50 mm
- ●6 pcs / carton

H-44 Hercules Combination Tool

- Designed for heavy duty applications
- Max. tension force **300 kg**
- For use with serrated seals
- Optional handle for horizontal applications
- •Strap width: 12 mm, 16 mm
- •6 pcs / carton



H-35 Sealer

- Triple friction grip
- Handle length 390 mm
- Strap width: 12 mm, 16 mm
- 10 pcs / carton



H-26 Tensioner

- Heavy duty range
- Machining made of alloy steel
- Strap width: 25 mm-40 mm
- •6 pcs / carton



H-54 Tensioner

- •Strap width: 9 mm-19 mm
- •10 pcs / carton



H-45L Helios Power Tool

- Bosch battery and charger
- Friction weld sealing
- Max. tension force 250 kg
- •Strap width: 9 mm, 11 mm-13 mm, 15 mm-16 mm



(See details in H-45L catalogue)

H-42 Combination Tool

- Using cogwheel to drive windlass guarantees high tension and save effort
- •Strap width: 12 mm, 16 mm
- •6 pcs / carton



H-27 Tensioner

- Heavy duty range
- Machining made of alloy steel
- •Strap width: 25 mm-50 mm
- •6 pcs / carton



H-55 Tensioner

- Heavy duty range
- •Strap width: 9 mm-19 mm
- •10 pcs / carton



H-46 Kronos Power Tool

- Bosch battery and charger
- •Friction weld sealing
- Digital touch panel
- Max. tension force 400 kg
- •Strap width:

H-46A for 11 mm-13 mm, 15 mm-16 mm H-46B for 15 mm-16 mm,

19 mm
(See details in H-46 catalogue)







H-65 Sealer

- Strap width: 9 mm, 12 mm, 16 mm, 19 mm
- 20 pcs / carton





Strap Dispensers for Plastic and Steel Strapping

H-84 Strap Dispenser

- For both plastic and oscillated wound steel strapping
- Robust design for heavy duty use
- •Strap core I.D. 406 mm
- Face 75 mm or 150 mm
- •1 pc / carton



H-91 Strap Dispenser

- For cord strapping
- •Strap core I.D. 76 mm
- •2 pcs / carton



H-83 Strap Dispenser

- For plastic strapping
- •Strap core I.D. 200 mm, 280 mm
- •2 pcs / carton



H-95 Strap Dispenser

- •For ribbon wound steel strapping
- •Max. O.D. 615 mm
- Strap width: H-95A for 9 mm-22 mm H-95B for 23 mm-32 mm
- •2 pcs / carton



H-83E Strap Dispenser

- For plastic strapping
- •Strap core I.D. 200 mm, 280 mm
- Economy model
- •2 pcs / carton



